

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

MIXOL® Nr. 4 Oxyd-Rot

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

| | | |
|--------------------------|-----------------------------|------------------------------|
| Company name: | MIXOL-PRODUKTE Diebold GmbH | |
| Street: | Carl-Zeiss-Str. 17-19 | |
| Place: | D-73230 Kirchheim/Teck | |
| Telephone: | +49/(0)7021 / 950090 | Telefax: +49/(0)7021 / 56030 |
| E-mail: | info@mixol.de | |
| E-mail (Contact person): | Technik@mixol.de | |
| Internet: | www.mixol.de | |
| Responsible Department: | Technik | |

1.4. Emergency telephone number:

Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements**GB CLP Regulation****Special labelling of certain mixtures**

| | |
|--------|---|
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 2 of 13

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|------------|--|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 68920-66-1 | Alcohols, C16-18 and C18-unsatd., ethoxylated | | | 10 - < 15 % |
| | 500-236-9 | | | |
| | Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412 | | | |
| 97862-59-4 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts | | | 1 - < 5 % |
| | 308-107-7 | | | |
| | Eye Dam. 1, Aquatic Chronic 3; H318 H412 | | | |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | < 0.036 % |
| | 220-120-9 | 613-088-00-6 | 01-2120761540-60 | |
| | Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H302 H315 H318 H317 H400 H410 | | | |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | < 0.0015 % |
| | - | 613-167-00-5 | 01-2120764691-48 | |
| | Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|--|---|-------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 68920-66-1 | 500-236-9 | Alcohols, C16-18 and C18-unsatd., ethoxylated | 10 - < 15 % |
| | Aquatic Acute 1; H400: M=1 | | |
| 97862-59-4 | 308-107-7 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts | 1 - < 5 % |
| | dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg Eye Dam. 1; H318: >= 10 - 100 Eye Irrit. 2; H319: >= 4 - < 10 | | |
| 2634-33-5 | 220-120-9 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | < 0.036 % |
| | inhalation: ATE 0,21 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: ATE 450 mg/kg Skin Sens. 1A; H317: >= 0,036 - 100 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1 | | |
| 55965-84-9 | - | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | < 0.0015 % |
| | inhalation: ATE = 0,5 mg/l (vapours); inhalation: LC50 = 0,171 mg/l (dusts or mists); dermal: LD50 = 92,4 mg/kg; oral: LD50 = 64 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100 | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 3 of 13

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.
Water spray jet, Extinguishing powder, Carbon dioxide (CO₂), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up**For containment**

Stop leak if safe to do so. Cover drains.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 4 of 13

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Exposure limits (EH40)**

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|-----------------------------------|-----|-------------------|-----------|---------------|--------|
| 1317-65-3 | Calcium carbonate, inhalable dust | - | 10 | | TWA (8 h) | WEL |
| 1317-65-3 | Calcium carbonate, respirable | - | 4 | | TWA (8 h) | WEL |
| 1309-37-1 | Iron oxide, fume (as Fe) | - | 5 | | TWA (8 h) | WEL |
| | | - | 10 | | STEL (15 min) | WEL |
| 1309-37-1 | Rouge, respirable | - | 4 | | TWA (8 h) | WEL |
| 1309-37-1 | Rouge, total inhalable | - | 10 | | TWA (8 h) | WEL |

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 5 of 13

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|---|----------------|----------|------------------------|
| 97862-59-4 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts | | | |
| Worker DNEL, long-term | | inhalation | systemic | 44 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 12,5 mg/kg bw/day |
| Consumer DNEL, long-term | | dermal | systemic | 7,5 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 7,5 mg/kg bw/day |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | |
| Worker DNEL, long-term | | inhalation | systemic | 6,81 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 0,966 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 1,2 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 0,345 mg/kg bw/day |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | |
| Worker DNEL, long-term | | inhalation | local | 0,02 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 0,04 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 0,02 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 0,04 mg/m ³ |
| Consumer DNEL, long-term | | oral | systemic | 0,09 mg/kg bw/day |
| Consumer DNEL, acute | | oral | systemic | 0,11 mg/kg bw/day |

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 6 of 13

PNEC values

| CAS No | Substance | Value |
|--|---|---------------|
| Environmental compartment | | |
| 97862-59-4 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts | |
| Freshwater | | 0,013 mg/l |
| Marine water | | 0,001 mg/l |
| Freshwater sediment | | 1 mg/kg |
| Marine sediment | | 0,1 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 3000 mg/l |
| Soil | | 0,8 mg/kg |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | |
| Freshwater | | 0,00403 mg/l |
| Freshwater (intermittent releases) | | 0,0011 mg/l |
| Marine water | | 0,000403 mg/l |
| Freshwater sediment | | 0,0499 mg/kg |
| Marine sediment | | 0,00499 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 1,03 mg/l |
| Soil | | 3 mg/kg |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | |
| Freshwater | | 0,00339 mg/l |
| Freshwater (intermittent releases) | | 0,00339 mg/l |
| Marine water | | 0,00339 mg/l |
| Freshwater sediment | | 0,027 mg/kg |
| Marine sediment | | 0,027 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,23 mg/l |
| Soil | | 0,01 mg/kg |

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 7 of 13

consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|---|------------------------|
| Physical state: | Liquid (Dispersion) |
| Colour: | red |
| Odour: | odourless |
| Odour threshold: | not applicable |
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 100 °C |
| Flammability: | Non-flammable. |
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |
| Flash point: | > 100 °C |
| Auto-ignition temperature: | not determined |
| Decomposition temperature: | > 100 °C |
| pH-Value: | not determined |
| Viscosity / kinematic: | not determined |
| Water solubility: | miscible |
| Solubility in other solvents | not determined |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: | not determined |
| Density (at 20 °C): | 1,59 g/cm ³ |
| Relative vapour density: | not determined |
| Particle characteristics: | not applicable |

9.2. Other information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 8 of 13

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|------------|---|-------------------|---------|--------------|----------|
| | Exposure route | Dose | Species | Source | Method |
| 97862-59-4 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Manufacturer | OECD 401 |
| | dermal | LD50 > 2000 mg/kg | Rat | Manufacturer | OECD 402 |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | | |
| | oral | ATE 450 mg/kg | | | |
| | dermal | LD50 > 2000 mg/kg | Rat | Manufacturer | OECD 402 |
| | inhalation dust/mist | ATE 0,21 mg/l | | | |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | | |
| | oral | LD50 64 mg/kg | Rat | Manufacturer | |
| | dermal | LD50 92,4 mg/kg | Rabbit | Manufacturer | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation (4 h) dust/mist | LC50 0,171 mg/l | Rat | Manufacturer | OECD 403 |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / Evaluation: non-irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Based on available data, the classification criteria are not met.

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 9 of 13

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, oral, Inhalation.

11.2. Information on other hazards**Endocrine disrupting properties**

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

| CAS No | Chemical name | | | | | |
|------------|---|---------------|-------------|---------|--------------------------------------|--------------------------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 97862-59-4 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts | | | | | |
| | Acute fish toxicity | LC50 | 1,1 mg/l | 96 h | Pimephales promelas (fathead minnow) | Manufacturer OECD 203 |
| | Acute algae toxicity | ErC50 | 8 mg/l | 96 h | Pseudokirchneriella subcapitata | Manufacturer OECD 201 |
| | Acute crustacea toxicity | EC50 | 6,5 mg/l | 48 h | Daphnia magna (Big water flea) | Manufacturer OECD 202 |
| | Fish toxicity | NOEC mg/l | 0,135 | 37 d | Oncorhynchus mykiss (Rainbow trout) | Manufacturer OECD 210 |
| | Crustacea toxicity | NOEC mg/l | 0,32 | 21 d | Daphnia magna (Big water flea) | Manufacturer OECD 211 |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | | | |
| | Acute algae toxicity | ErC50 mg/l | 0,110 | 72 h | Selenastrum capricornutum | Manufacturer OECD 201 |
| | Acute crustacea toxicity | EC50 mg/l | 0,643 | 48 h | Daphnia magna (Big water flea) | Manufacturer OECD 202 |
| | Acute bacteria toxicity | EC50 | 23 mg/l () | 3 h | Activated sludge | Manufacturer OECD 209 |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | | | |
| | Acute algae toxicity | ErC50 mg/l | 0,0052 | 72 h | Skeletonema costatum | Manufacturer OECD 201 |
| | Acute bacteria toxicity | EC50 mg/l () | 7,92 | 3 h | Activated sludge | Manufacturer OECD 209 |

12.2. Persistence and degradability

The product has not been tested.

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 10 of 13

| CAS No | Chemical name | | | |
|------------|---|-------|----|--------------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 97862-59-4 | 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts | | | |
| | OECD 311 | 80 % | 62 | Manufacturer |
| | Biodegradable. | | | |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | |
| | OECD 301C | 85 % | 63 | Manufacturer |
| | Moderately/partially biodegradable. | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|---|--------------|
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | -0,71 - 0,75 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|---|------|-----------------------------------|--------------|
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | 6,62 | Lepomis macrochirus (Bluegill) | Manufacturer |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 3,6 | | Manufacturer |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 11 of 13

Inland waterways transport (ADN)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Marine transport (IMDG)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

Air transport (ICAO-TI/IATA-DGR)

| | |
|---|--|
| <u>14.1. UN number or ID number:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.2. UN proper shipping name:</u> | No dangerous good in sense of this transport regulation. |
| <u>14.3. Transport hazard class(es):</u> | No dangerous good in sense of this transport regulation. |
| <u>14.4. Packing group:</u> | No dangerous good in sense of this transport regulation. |

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2004/42/EC on VOC in paints and varnishes: < 0,1 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 12 of 13

Abbreviations and acronyms

Acute Tox: Acute toxicity
 Skin Corr: Skin corrosion
 Skin Irrit: Skin irritation
 Eye Dam: Eye damage
 Skin Sens: Skin sensitisation
 Aquatic Acute: Acute aquatic hazard
 Aquatic Chronic: Chronic aquatic hazard
 CAS: Chemical Abstracts Service
 CLP: Classification, Labelling and Packaging
 EU: European Union
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 REACH: Registration, Evaluation and Authorization of Chemicals
 UN: United Nations
 PBT: Persistent, Bioaccumulative, Toxic
 SVHC: Substance of Very High Concern
 vPvB: very Persistent, very Bioaccumulative
 ATE: Acute Toxicity Estimates
 BCF: Bio-Concentration Factor
 DMEL: Derived Minimal Effect Level
 DNEL: Derived No Effect Level
 PNEC: Predicted No Effect Concentration
 VOC: Volatile Organic Compounds
 DIN: Deutsches Institut für Normung e.V. (German Institute for Standardization)
 EN: European Standard
 ISO: International Organization for Standardization
 IUCLID: International Uniform Chemical Information Database
 LC50: Lethal Concentration, 50 %
 LD50: Lethal Dose, 50 %
 LL50: Lethal Loading, 50 %
 OECD: Organisation for Economic Co-operation and Development
 EC50: Effective Concentration 50 %
 EL50: Effect Loading, 50 %
 ErC50: Effective Concentration 50 %, growth rate
 M-Faktor: Multiplication Factor
 NOEC: No Observed Effect Concentration
 ADN: Accord européen relatif au transport international des marchandises Dangereuses par voies de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
 ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 DGR: Dangerous Goods Regulations
 EmS: Emergency Schedules
 IATA: International Air Transport Association
 IBC: Intermediate Bulk Container
 ICAO: International Civil Aviation Organization
 IE: Industrial Emissions
 IMDG: International Maritime Code for Dangerous Goods
 LQ: Limited Quantity
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 MFAG: Medical First Aid Guide
 RID: Regulations concerning the International carriage of Dangerous goods by rail
 TI: Technical Instructions

Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

Safety Data Sheet

according to UK REACH Regulation

MIXOL® Nr. 4 Oxyd-Rot

Revision date: 03.07.2025

Product code: PES55

Page 13 of 13

assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

Relevant H and EUH statements (number and full text)

| | |
|--------|---|
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)